



Datenblatt - Fiche technique - Data sheet

**12.99.3116**




VALUE HDMI-DVI Adapterkabel, HDMI BU / DVI-D ST

VALUE Adaptateur HDMI-DVI, HDMI F - DVI-D M

VALUE Cableadapter, DVI M - HDMI F

Customer P/N:xxx RXX




Conn.1 DVI-D 24+1 Male Molding

Conn.2 HDMI Female Molding

Electrical Test:

1. 100%Test(Open, short ,miss wire)
2. Contact Resistance: 2 ohm max.
3. Insulation Resistance: 10M ohm min.
4. HI-pot:300V DC/10ms

Pin Assignment



NO.	DESCRIPTION	QTY	UNIT
①	DVI M Port Transparent Dust Cover	2	pcs
②	Outside Molding: 45P PVC PMS: Black	60	g
③	Inside Molding: PE	10	g
④	SCREW:#4-40UNC(2.8*53.6MM) Nickel Plated	2	pcs
⑤	HDMI 19P Female Shell Nickel Plated,Insulation:Black	1	pcs
⑥	DVI(24+1)M Solder Type, Insulation Black, Shell Nickel Plated	1	pcs
⑦	UL20276(30AWG(7/0.10TC)+EAM)*4PR+30AWG(7/0.10TC)*5C+AEB(16/5/0.12AL) OD:5.8mm	0.15	M

REV.	DATE	CONTENTS OF CHANGE	DESIGNER	DESIGN	CHECK	APPROVAL	DRAWING NAME
△				henry	PHILIP	PHILIP	DVI(24+1)M TO HDMI AF 0.15M
△							DATE
△							2013-08-26
△							PART NO. MF
△							ROO
△							
△							
△							

ro-tronic