



## TP-Link TL-R470T+ Routeur connecté Fast Ethernet Noir

Marque : TP-Link

Code produit: TL-R470T+

Nom du produit : TL-R470T+



TP-Link TL-R470T+. Standards réseau: IEEE 802.3, IEEE 802.3u, IEEE 802.3x, Type d'interface Ethernet: Fast Ethernet, Technologie de câblage: 10/100Base-T(X). Protocoles réseau pris en charge: TCP/IP, DHCP, ICMP, NAT, PPPoE, SNTP, HTTP, DNS. Algorithme de sécurité soutenu: HTTPS, Support de VPN: PPTP/L2TP/IP Sec. Mémoire flash: 16 Mo, Mémoire interne: 128 Mo, Prise en charge du système d'exploitation Windows: Windows 7, Windows 8, Windows Vista, Windows XP. Couleur du produit: Noir, Voyants: LAN, Énergie, Système, WAN, WLAN

| Connexion WAN   |   | Sécurité  |   |
|---|---|---|---|
| Ethernet WAN *  | ✓   | Support de VPN                                    | PPTP/L2TP/IP Sec                                |
| Réseau  |   | Caractéristiques                                  |   |
| Standards réseau *  | IEEE 802.3, IEEE 802.3u, IEEE 802.3x            | Mémoire flash                                     | 16 Mo   |
| Type d'interface Ethernet *                               | Fast Ethernet                                   | Mémoire interne                                   | 128 Mo  |
| Technologie de câblage                                    | 10/100Base-T(X)                                 | Prise en charge du système d'exploitation Windows | Windows 7, Windows 8, Windows Vista, Windows XP |
| LAN Ethernet : taux de transfert des données              | 10,100 Mbit/s                                   | Prise en charge du système d'exploitation Mac     | macOS   |
| Full duplex   | ✗   | Prise en charge du système d'exploitation Linux   | ✓   |
| Route statique  | ✓   | Dissipation thermique                             | 1 BTU/h   |
| Contrôle du trafic  | ✓   | Temps moyen entre pannes                          | 1 h   |
| Connexions simultanées                                    | 10000   | Certification                                     | CE, FCC, RoHS                                   |
| Caractéristiques de gestion                               |   | Design  |   |
| Gestion basée sur le web *                                | ✓   | Couleur du produit *                              | Noir  |
| Qualité de service (QoS)                                  | ✓   | Grille de montage                                 | ✗   |
| Reconnaissance automatique des composants de l'ordinateur | ✓   | Voyants   | LAN, Énergie, Système, WAN, WLAN                |
| Bouton de réinitialisation                                | ✓   | Puissance   |   |
| Connectivité  |   | Consommation électrique typique *                 | 1,56 W  |
| Nombre de port ethernet LAN (RJ-45) *                     | 4   | Conditions environnementales                      |   |
| Ports Fibre Channel                                       | 1   | Température d'opération                           | 0 - 40 °C                                       |
| Protocoles  |   | Température hors fonctionnement                   | -40 - 70 °C                                     |
| Support DMZ   | ✓   | Humidité relative de fonctionnement (H-H)         | 10 - 90%  |
| Client DHCP *   | ✓   | Taux d'humidité relative (stockage)               | 5 - 90%   |
| Serveur DHCP *  | ✓   | Poids et dimensions                               |   |
| Protocoles réseau pris en charge                          | TCP/IP, DHCP, ICMP, NAT, PPPoE, SNTP, HTTP, DNS | Largeur   | 158 mm  |
| Sécurité  |   | Profondeur  | 101 mm  |
| Algorithme de sécurité soutenu *                          | HTTPS   | Hauteur   | 25 mm   |
| Pare-feu  | ✓   | Autres caractéristiques                           |   |
| Filtrage d'adresse MAC                                    | ✓   | Type de commutateur                               | Non-géré  |

## Sécurité

Liaison de port IP-MAC



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 17-JUN-2024. Prints or copies of Information are only valid on the printed Publication date